	Hits	Search Text	DBs
1	825	(cursor adj display) with (data location)	USPAT; US-PGPUB
2	713	((cursor adj display) with (data location)) and memory	USPAT; US-PGPUB
3	47	(((cursor adj display) with (data location)) and memory) and (process$4 adj speed)	USPAT; US-PGPUB
4	53	((cursor adj display) with (data location)) and (remote adj control)	USPAT; US-PGPUB
5	11	((cursor adj display) with (data location)) and OSD	USPAT; US-PGPUB
6	10	(((cursor adj display) with (data location)) and memory) and OSD	USPAT; US-PGPUB
7	4	((((cursor adj display) with (data location)) and memory) and (process$4 adj speed)) and OSD	USPAT; US-PGPUB
8	3	(cursor adj display) with (data location) and OSD	EPO; JPO; DERWENT; IBM_TDB
9	5	(cursor adj display) and OSD	EPO; JPO; DERWENT; IBM_TDB
10	0	(cursor adj TV) and OSD	EPO; JPO; DERWENT; IBM_TDB
11	6	(cursor and TV) and OSD	EPO; JPO; DERWENT; IBM_TDB
12	218	(cursor and TV) and OSD	USPAT; US-PGPUB
13	1	(cursor with TV) with OSD	USPAT; US-PGPUB
14	0	((cursor adj display) with (data location)) and ((cursor with TV) with OSD)	USPAT; US-PGPUB
15	9	(cursor and TV) with OSD	USPAT; US-PGPUB

	Hits	Search Text	DBs
16	38	(cursor with TV) and OSD	USPAT; US-PGPUB
17	1	5359347.pn.	USPAT; US-PGPUB
18	4	5359347.URPN.	USPAT
19	2	("3911419" | "4245244").PN.	USPAT
20	1	OSD and STB and cursor	EPO; JPO; DERWENT; IBM_TDB
21	29	OSD and STB and cursor	USPAT; US-PGPUB
22	0	6229524.URPN.	USPAT
23	24	("5077607" | "5100386" | "5146556" | "5508815" "5515495" | "5517254" "5517257" | "5559459" "5568272" | "5648824" "5659335" | "5678041" "5708845" | "5734853" "5796952" | "5839112" "5929349" | "5974201" "5977964" | "6006265" "6012051" | "6044403" "6052714" | "6070167").PN.	USPAT
24	234	(cursor adj display) near5 (location)	USPAT; US-PGPUB
25	19	(cursor adj display) adj (location)	USPAT; US-PGPUB
26	24	(cursor with TV) and OSD and location	USPAT; US-PGPUB
27	0	((cursor near3 location) with TV) and OSD and location	USPAT; US-PGPUB
28	0	((cursor with location) with TV) and OSD and location	USPAT; US-PGPUB
29	0	((cursor with location) with TV) and OSD	USPAT; US-PGPUB
30	4	((cursor same location) same TV) and OSD	USPAT; US-PGPUB

	Hits	Search Text	DBs
31	5	(cursor and TV) and OSD and (bitmap near4 format)	USPAT
32	0	asynchronus adj plug adj register	USPAT; US-PGPUB
33	6	asynchronous adj plug adj register	USPAT; US-PGPUB
34	6	asynchronous adj plug adj register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	10	asynchronous near5 plug near5 register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB